



中国认可
国际互认
检测
TESTING
CNAS L1744

DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: (8826)183-0039

Date Received: Jul 02, 2026

Jul 30, 2026

Page 1 of 16

DONGYANG TUORENTAI TOYS CO., LTD
ROOM 801, 8TH FLOOR, BUILDING 3, NO. 348 QINGFANG
STREET, JIANGBEI
STREET, DONGYANG CITY, JINHUA CITY, ZHEJIANG
PROVINCE, CHINA

Sample Description:

FUN TOYS

Vendor:

N/A

Sample Size:

1

Style No(s):

TRT-101, TRT-102, TRT-103, TRT-104, TRT-104-1, TRT-104-2, TRT-104-3, TRT-104-4, TRT-104-5, TRT-105, TRT-106, TRT-107, TRT-108, TRT-108-1, TRT-108-2, TRT-108-3, TRT-108-4, TRT-108-5, TRT-109, TRT-1010, TRT-1010-1, TRT-1010-2, TRT-1010-3, TRT-1010-4, TRT-1010-5, TRT-1011, TRT-1011-1, TRT-1011-2, TRT-1011-3, TRT-1011-4, TRT-1011-5, TRT-1012, TRT-1012-1, TRT-1012-2, TRT-1012-3, TRT-1013, TRT-1013-1, TRT-1013-2, TRT-1013-3, TRT-1014, TRT-1014-1, TRT-1014-2, TRT-1014-3, TRT-1015, TRT-1015-1, TRT-1015-2, TRT-1015-3, TRT-1016, TRT-1016-1, TRT-1016-2, TRT-1016-3, TRT-1017, TRT-1017-1, TRT-1017-2, TRT-1017-3, TRT-1018, TRT-1018-1, TRT-1018-2, TRT-1018-3, TRT-1019, TRT-1019-1, TRT-1019-2, TRT-1019-3, TRT-1020, TRT-1020-1, TRT-1020-2, TRT-1020-3, TRT-1021, TRT-1021-1, TRT-1021-2, TRT-1021-3, TRT-1022, TRT-1022-1, TRT-1022-2, TRT-1022-3, TRT-1023, TRT-1024, TRT-1025, TRT-1026, TRT-1027

Manufacturer:

N/A

Labeled Age Grade:

AGES 3+

SKN/SKU No.:

NOT PROVIDE

Appropriate Age Grade:

OVER 12 MONTHS OF
AGE;

PO No.:

NOT PROVIDE

Client Specified Age Grade:

3+

Ref #:

NOT PROVIDE

Tested Age Grade:

OVER 3 YEARS OF AGE

Country of Origin:

NOT PROVIDE

UPC Code:

N/A

Assortment No.:

NOT PROVIDE

Other Information:

N/A

Country of Destination:

NOT PROVIDE

Test Starting Date:

Jul 02, 2026

Test Finished Date:

Jul 30, 2026

BUREAU VERITAS SHENZHEN CO., LTD
DONGGUAN BRANCH

Lisa Bai

Analytical Lab Authorized Signatory

RT/ Icy Wei

REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175

CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.

BUREAU VERITAS SHENZHEN CO., LTD
DONGGUAN BRANCH

Tone Tang

Physics Lab Authorized Signatory



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 2 of 16

EXECUTIVE SUMMARY:

Tested Requested	Conclusion
(#)Mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
Labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
(#)Flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".	PASS
Tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.	PASS
(#)Total Lead Content – 16 CFR 1303, "Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint"	PASS
(#)Total Lead Content in Surface Coating – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(f)	PASS
(#)Total Lead Content in Substrate Materials – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(a)(2)	PASS
(#)Phthalates Content in Children's Toys and Childcare Articles – Proposed Amendment rule Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(b)(3) and 16 CFR 1307 - BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP Content	PASS
Soluble Heavy Metals Content in Surface Coating –ASTM F963-23, Section 4.3.5.1(2)	N/A
(#)Soluble Heavy Metals Content in Substrate –ASTM F963-23, Section 4.3.5.2(2)(b)	PASS
(#)Total Lead Content in Surface Coating – ASTM International Standard ASTM F963-23, Section 4.3.5.1(1)	PASS
(#)Total Lead Content in Substrate – ASTM International Standard ASTM F963-23, Section 4.3.5.2(2)(a)	PASS
(#)Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.	PASS
Determination Of Migration Of Cadmium [ASTM F963-23 Clause 4.3.5.2(2c)]	N/A

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: The composite test sample(s) of the submitted samples was prepared in the manner requested by the client, when subject to the test performed.

Note: Tests with (#) are accredited by CNAS.

Note: The Style No. and Model No. were provided by the client, Bureau Veritas assumes no responsibility for the authenticity or integrity of this information.

Note: NA = Not Applicable.



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 3 of 16

Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Green/black/red coating	Steamed bun	-
I002	Rose red coating	Steamed bun	-
I003	Translucent soft plastic	Cheese/steamed bun	-
I004	Translucent yellow soft plastic	Cheese	-
I005	Yellow soft plastic	Cheese	-
I006	Deep yellow soft plastic	Steamed bun	-
I007	Translucent light blue soft plastic	Peanut	-
I008	Translucent purple soft plastic	Peanut	-
I009	Translucent pink soft plastic	Peanut	-
I010	Light brown soft plastic	Peanut	-
I011	Translucent light pink soft plastic	Jellyfish	-
I012	Translucent light purple soft plastic	Jellyfish	-
I013	Translucent blue soft plastic	Jellyfish	-
I014	Light brown plastic	Steamer	-
I015	Translucent soft plastic	Stopper	-
I016	White paste	Baozi/Cheese	-
I017	Transparent paste with glitter	Steamed bun/cheese (soft)	-
I018	Transparent paste with glitter	Peanut/jellyfish/cheese (hard)	-
I019	Translucent orange soft plastic	Peanut	-

The item(s) 001-002 was/were submitted by client dated on Jul 6, 2026.

The received sample(s) 001-002 contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such material(s) was not subject to the heavy metals analysis of ASTM F963-23, "Standard consumer safety specification on toy safety", Section 4.3.5.1(2) and 4.3.5.2, as specified in Section 8.3.3.6(2) and Section 8.3.5.3(2).



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 4 of 16

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

Test	Test Parameters	Standard Reference
Impact Test	4 x 3 ft	1500.53(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f)
Compression Test	30 lbs	1500.53(g)



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 5 of 16

RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	M
4.5	Sound-producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude Section 4.25.9 Battery-powered ride-on toys & Section 4.25.10 Toys that Contain Secondary Cells or Secondary Batteries)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 6 of 16

RESULTS:

LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)

Section	Requirement	Result
5.1.2	Tracking label	M
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	N/A
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.14	Battery-Operated Toys (exclude 5.14.1 and 5.14.2)	N/A
5.14.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.14.2 & 5.3	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	M
5.16 & 5.3	Magnets	N/A
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7.1	Producer's Name and Address	M
7.2	Battery-powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

FLAMMABILITY (16 CFR SECTION 1500.3(c)(6)(vi))

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Most rapid burn rate less than 0.1 of an inch per second.

Remark:

- ASTM F963-23 labeling requirements are not accredited by CNAS.
- CPSIA tracking label Content are not accredited by CNAS.



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 7 of 16

RESULTS:

Total Lead Content – 16 CFR 1303, "Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint"

Test Method : U.S. CPSC-CH-E1003-09.1:2011

Requirement	90 mg/kg		
Test Item(s)	Result	Unit	Conclusion
I001	ND	mg/kg	PASS
I002	ND	mg/kg	PASS

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 8 of 16

RESULTS:

Total Lead Content in Surface Coating – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(f)

Test Method : U.S. CPSC-CH-E1003-09.1:2011

Requirement	90 mg/kg		
Test Item(s)	Result	Unit	Conclusion
I001	ND	mg/kg	PASS
I002	ND	mg/kg	PASS

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 9 of 16

RESULTS:

Total Lead Content in Substrate Materials – Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 101(a)(2)

Test Method : U.S. CPSC-CH-E1002-08.3:2012 and U.S. CPSC-CH-E1001-08.3:2012

Requirement	100 mg/kg		
Test Item(s)	Result	Unit	Conclusion
I003 + I004 + I005	ND	mg/kg	PASS
I006 + I007 + I008	ND	mg/kg	PASS
I009 + I010 + I011	ND	mg/kg	PASS
I012 + I013 + I015	ND	mg/kg	PASS
I014	ND	mg/kg	PASS
I019	ND	mg/kg	PASS

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 10 of 16

RESULTS:

Phthalates Content in Children's Toys and Childcare Articles – Proposed Amendment rule Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(b)(3) and 16 CFR 1307 - BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP Content

Test Method : With reference to U.S.CPSC-CH-C1001-09.4 (January 17,2018)

Parameter	Unit	Result				Limit
		I001 + I002	I003 + I004 + I005	I006 + I007 + I008	I009 + I010 + I011	
DEHP	%(w/w)	ND	ND	ND	ND	<0.1
DBP	%(w/w)	ND	ND	ND	ND	<0.1
BBP	%(w/w)	ND	ND	ND	ND	<0.1
DHEXP	%(w/w)	ND	ND	ND	ND	<0.1
DIBP	%(w/w)	ND	ND	ND	ND	<0.1
DINP	%(w/w)	ND	ND	ND	ND	<0.1
DPENP	%(w/w)	ND	ND	ND	ND	<0.1
DCHP	%(w/w)	ND	ND	ND	ND	<0.1
Conclusion	-	PASS	PASS	PASS	PASS	-

Parameter	Unit	Result				Limit
		I012 + I013 + I015	I014	I016 + I017 + I018	I019	
DEHP	%(w/w)	ND	ND	ND	ND	<0.1
DBP	%(w/w)	ND	ND	ND	ND	<0.1
BBP	%(w/w)	ND	ND	ND	ND	<0.1
DHEXP	%(w/w)	ND	ND	ND	ND	<0.1
DIBP	%(w/w)	ND	ND	ND	ND	<0.1
DINP	%(w/w)	ND	ND	ND	ND	<0.1
DPENP	%(w/w)	ND	ND	ND	ND	<0.1
DCHP	%(w/w)	ND	ND	ND	ND	<0.1
Conclusion	-	PASS	PASS	PASS	PASS	-

Note / key:

DEHP = Di(2-ethylhexyl) phthalate(CAS No.117-81-7)

DBP = Dibutyl phthalate(CAS No.84-74-2)

BBP = Butyl benzyl phthalate(CAS No.85-68-7)

DHEXP(DnHP) = Di-n-hexyl phthalate(CAS No.84-75-3)

DIBP = Di-iso-butyl phthalate(CAS No.84-69-5)

DINP = Di-iso-nonyl phthalate(CAS No.28553-12-0 & 68515-48-0)

DPENP(DnPP) = Di-n-pentyl phthalate(CAS No.131-18-0)

DCHP = Dicyclohexyl phthalate(CAS No.84-61-7)

ND = Not detected

10000 mg/kg = 1 %

Detection Limit (%) : Each 0.005

% = percent

mg/kg = milligram(s) per kilogram



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 11 of 16

RESULTS:

Soluble Heavy Metals Content in Substrate –ASTM F963-23, Section 4.3.5.2(2)(b)

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3))

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Max. Limit Type I (mg/kg)	25	1000	75	60	60	90	60	500
Max. Limit Type II (mg/kg)	25	250	50	25	25	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

Type I: Substrate other than modeling clay

Type II: Modeling clay

Parameter	Unit	Result					Limit
		I003	I004	I005	I006	I007	
Type	-	I	I	I	I	I	-
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	<25
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	<1000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	<75
Chromium (Cr)	mg/kg	ND	ND	ND	ND	ND	<60
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	<60
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	<90
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	<60
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	<500
Mass of trace amount (g)		-	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS	-

Parameter	Unit	Result					Limit
		I008	I009	I010	I011	I012	
Type	-	I	I	I	I	I	-
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	<25
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	<1000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	<75
Chromium (Cr)	mg/kg	ND	ND	ND	ND	ND	<60
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	<60
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	<90
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	<60
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	<500
Mass of trace amount (g)		-	-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS	-



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 12 of 16

RESULTS:

Parameter	Unit	Result				Limit
		I013	I014	I015	I019	
Type	-	I	I	I	I	-
Arsenic (As)	mg/kg	ND	ND	ND	ND	<25
Barium (Ba)	mg/kg	ND	ND	ND	ND	<1000
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	<75
Chromium (Cr)	mg/kg	ND	ND	ND	ND	<60
Mercury (Hg)	mg/kg	ND	ND	ND	ND	<60
Lead (Pb)	mg/kg	ND	ND	ND	ND	<90
Antimony (Sb)	mg/kg	ND	ND	ND	ND	<60
Selenium (Se)	mg/kg	ND	ND	ND	ND	<500
Mass of trace amount (g)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	-

Note / key:

ND = Not detected

g = gram(s)

% = percent

mg/kg = milligram(s) per kilogram

Detection Limit (mg/kg) :

For Type I – As : 2.5; Ba : 100; Cd : 7.5; Each (Cr, Hg, & Sb) : 6.0; Pb : 9.0; Se : 50

For Type II – Each (As, Cr & Hg) : 2.5; Ba : 25; Cd : 5.0; Sb : 6.0; Pb : 9.0; Se : 50

Remark:

- "#" Denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.

- Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-23. The lead content analysis result of corresponding material herein is for client's reference only.



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 13 of 16

RESULTS:

**Total Lead Content in Surface Coating – ASTM International Standard ASTM F963-23,
Section 4.3.5.1(1)**

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Requirement	90 mg/kg		
Test Item(s)	Result	Unit	Conclusion
I001	ND	mg/kg	PASS
I002	ND	mg/kg	PASS

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 14 of 16

RESULTS:

Total Lead Content in Substrate – ASTM International Standard ASTM F963-23, Section 4.3.5.2(2)(a)

Test Method : ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Requirement	100 mg/kg		
Test Item(s)	Result	Unit	Conclusion
I003 + I004 + I005	ND	mg/kg	PASS
I006 + I007 + I008	ND	mg/kg	PASS
I009 + I010 + I011	ND	mg/kg	PASS
I012 + I013 + I015	ND	mg/kg	PASS
I014	ND	mg/kg	PASS
I019	ND	mg/kg	PASS

Note / key:

ND = Not detected

Detection Limit (mg/kg) : 10

mg/kg = milligram(s) per kilogram



DONGYANG TUORENTAI TOYS CO., LTD

Technical Report: **(8826)183-0039**

Jul 30, 2026

Page 15 of 16

RESULTS:

Phthalates (BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP & DCHP) content requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.8.

Test Method : With reference to U. S. CPSC-CH-C1001-09.4 (January 17, 2018)

Parameter	Unit	Result				Limit
		I001 + I002	I003 + I004 + I005	I006 + I007 + I008	I009 + I010 + I011	
BBP	%(w/w)	ND	ND	ND	ND	<0.1
DBP	%(w/w)	ND	ND	ND	ND	<0.1
DEHP	%(w/w)	ND	ND	ND	ND	<0.1
DIBP	%(w/w)	ND	ND	ND	ND	<0.1
DPENP	%(w/w)	ND	ND	ND	ND	<0.1
DINP	%(w/w)	ND	ND	ND	ND	<0.1
DHEXP	%(w/w)	ND	ND	ND	ND	<0.1
DCHP	%(w/w)	ND	ND	ND	ND	<0.1
Conclusion	-	PASS	PASS	PASS	PASS	-

Parameter	Unit	Result				Limit
		I012 + I013 + I015	I014	I016 + I017 + I018	I019	
BBP	%(w/w)	ND	ND	ND	ND	<0.1
DBP	%(w/w)	ND	ND	ND	ND	<0.1
DEHP	%(w/w)	ND	ND	ND	ND	<0.1
DIBP	%(w/w)	ND	ND	ND	ND	<0.1
DPENP	%(w/w)	ND	ND	ND	ND	<0.1
DINP	%(w/w)	ND	ND	ND	ND	<0.1
DHEXP	%(w/w)	ND	ND	ND	ND	<0.1
DCHP	%(w/w)	ND	ND	ND	ND	<0.1
Conclusion	-	PASS	PASS	PASS	PASS	-

Note / key:

DEHP = Di(2-ethylhexyl) phthalate (CAS No.117-81-7)

DBP = Dibutyl phthalate (CAS No.84-74-2)

BBP = Butyl benzyl phthalate (CAS No.85-68-7)

DHEXP(DnHP) = Di-n-hexyl phthalate (CAS No.84-75-3)

DIBP = Di-iso-butyl phthalate (CAS No.84-69-5)

DINP = Di-iso-nonyl phthalate (CAS No.28553-12-0 & 68515-48-0)

DPENP(DnPP) = Di-n-pentyl phthalate (CAS No.131-18-0)

DCHP = Dicyclohexyl phthalate (CAS No.84-61-7)

ND = Not detected

10000 mg/kg = 1 %

Detection Limit (%) : Each 0.005

% = percent

mg/kg = milligram(s) per kilogram

Photo of the Submitted Sample:



END OF REPORT